


This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A compound of formula I



in which

X denotes C or N,

B denotes N, CH or C-CN,

R^1 denotes H, A, OH, NH₂, -(CH₂)_m-Ar or -(CH₂)_m-Het²,

$$R^2 \quad \text{if } X = N$$

~~is absent or~~

if $X = \mathbb{C}$

denotes H, A, Hal, CN, $-(\text{CH}_2)_n-$ Ar,

$$-(\text{CH}_2)_p-\text{COOH}, (\text{CH}_2)_p-\text{COOA}, (\text{CH}_2)_p-\text{Het}^3;$$

$-(CH_2)_n-NH_2$, SO_2A , CHO or COA ,

R^3 denotes H, A, -S-A, $-(CH_2)_p-Ar$, $-(CH_2)_p-Het$, $NH-(CH_2)_p-Ar$, $NH-(CH_2)_p-Het$, NH_2 , NHA, NA₂, NH-alkylene-NH₂,

NH-alkylene-NHA, N

R' denotes $-(CH_2)_5(Ar')$

R^4 and R^5 together denote $\text{Het}^4 - \text{N} \begin{cases} \text{CH}_2\text{-CH}_2\text{-} \\ | \\ \text{CH}\text{-CH}\text{-} \end{cases}$,

R^6 denotes Hg^{4+} , $(\text{CH}_3)_2\text{NH}^+$, $(\text{CH}_3)_2\text{NHA}$ or $(\text{CH}_3)_2\text{NA}^-$.

Y denotes O , S , (CH_2) , or NH .

Ar denotes phenyl, naphthyl or biphenyl, each of which is unsubstituted or mono-, di- or trisubstituted by Hal, A, OH, OA, NH₂, NO₂, CN, COOH, COOA, CONH₂, NHCOA, NHCONH₂, NHSO₂A, CHO, COA, SO₂NH₂, SO₂A, -CH₂-COOH or -OCH₂-COOH,

Ar^1	denotes phenylene or piperazinediyl,
Het	denotes a mono- or bicyclic saturated, unsaturated or aromatic heterocycle having 1 to 4 N, O and/or S atoms, which may be unsubstituted or mono-, di- or trisubstituted by Hal, A, NHA, NA_2 , OA, COOA, CN, $-(\text{CH}_2)_p\text{-Ar}$, $-(\text{CH}_2)_t\text{-OH}$, $-(\text{CH}_2)_p\text{-Het}^1$ or carbonyl oxygen (=O),
Het^1	denotes a mono- or bicyclic saturated, unsaturated or aromatic heterocycle having 1 to 4 N, O and/or S atoms, which may be unsubstituted or mono- or disubstituted by A or carbonyl oxygen (=O),
Het^2	denotes a monocyclic aromatic heterocycle having 1 to 3 N, O and/or S atoms, which may be unsubstituted or mono- or disubstituted by A,
Het^3	denotes a monocyclic saturated or aromatic heterocycle having 1 to 3 N, O and/or S atoms, which may be unsubstituted or mono- or disubstituted by A,
Het^4	denotes a mono- or bicyclic saturated, unsaturated or aromatic heterocycle having 1 to 4 N, O and/or S atoms, which may be unsubstituted or mono-, di- or trisubstituted by Hal, A, CONH_2 , CONHA , CONA_2 or Ar^2 ,
Ar^2	denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, A, OH, OA, NH_2 , NO_2 , CN, COOH, COOA, CONH_2 , NHCOA , NHCONH_2 , NHSO_2A , CHO, COA, SO_2NH_2 or SO_2A ,
$\text{R}^7, \text{R}^8, \text{R}^9, \text{R}^{10}$	each, independently of one another, denote H, A or $-(\text{CH}_2)_p\text{-Ar}$,
A	denotes alkyl having 1 to 10 C atoms, where, in addition, 1-7 H atoms may be replaced by F and/or chlorine,
m	denotes 0, 1, 2, 3 or 4,
n	denotes 0 or 1,
p	denotes 0, 1, 2, 3 or 4,
q	denotes 0, 1, 2, 3 or 4,
r	denotes 0, 1, 2, 3 or 4,

s denotes 0, 1, 2, 3 or 4,

Hal denotes F, Cl, Br or I,

and, if $X = C$,

~~R¹ and R² together may also denote -(CH₂)₄ or~~

~~R² and R³ together may also denote -(CHR⁷-CHR⁸-NR⁹-CHR¹⁰),~~

and, if Ar¹ denotes piperazinediyl,

R⁶ may also denote H or alkyl having 1-6 C atoms,

or a pharmaceutically acceptable solvate, tautomer, salt or stereoisomer thereof.

2. (Currently Amended) A compound according to Claim 1 in which

R¹ denotes A, OH, NH₂, -(CH₂)_m-Ar or -(CH₂)_m-Het²,

Ar denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, A, OA, COOH or COOA,

m denotes 0.

3. (Previously Presented) A compound according to Claim 1 in which

R⁴ denotes -(CH₂)_s-(Ar¹)_n-Y-R⁶,

s denotes 0 or 1,

n denotes 1,

Ar¹ denotes phenylene,

R⁶ denotes Het⁴,

Y denotes O,

Het⁴ denotes pyridyl which is unsubstituted or monosubstituted by CONHA, or benzo-1,2,5-thiadiazol-5-yl.

4. (Previously Presented) A compound according to Claim 1 in which

R⁴ denotes -(CH₂)_s-(Ar¹)_n-Y-R⁶,

s denotes 1,

n denotes 0,

Y denotes (CH₂)_q,

q denotes 0,

R⁶ denotes Het⁴,

Het⁴ denotes pyridyl, benzo-1,2,5-thiadiazol-5-yl, thiazole, 1,2,3-triazole, thienyl or furyl, each of which is unsubstituted or monosubstituted by CONHA, A and/or Ar²,
Ar² denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by A.

5. (Previously Presented) A compound according to Claim 1 in which

R⁴ denotes -(CH₂)_s-(Ar¹)_n-Y-R⁶,
s denotes 0,
n denotes 0,
Y denotes (CH₂)_q,
q denotes 0,
R⁶ denotes -(CH₂)_r-NH₂, -(CH₂)_r-NHA or -(CH₂)_r-NA₂,
r denotes 1, 2, 3 or 4.

6. (Previously Presented) A compound according to Claim 1 in which

R⁴ denotes -(CH₂)_s-(Ar¹)_n-Y-R⁶,
s denotes 0,
n denotes 1,
Ar¹ denotes phenylene,
Y denotes O, (CH₂)_q or NH,
R⁶ denotes -(CH₂)_r-NH₂, -(CH₂)_r-NHA or -(CH₂)_r-NA₂,
q denotes 0, 1, 2, 3 or 4,
r denotes 0, 1, 2, 3 or 4.

7. (Previously Presented) A compound according to Claim 1 in which

R⁴ denotes -(CH₂)_s-(Ar¹)_n-Y-R⁶,
s denotes 1, 2, 3 or 4,
n denotes 0,
Y denotes (CH₂)_q,
q denotes 0,
R⁶ denotes Het⁴,

Het⁴ denotes a monocyclic saturated heterocycle having 1 to 2 N and/or O atoms, which may be unsubstituted or mono- or disubstituted by A.

8. (Currently Amended) A compound according to Claim 1 in which

R¹ denotes A, OH, NH₂, -(CH₂)_m-Ar,

m denotes 0,

Ar denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, A, OA, COOH or COOA,

R² if X = N — is absent or

if X = C — denotes CN,

R³ denotes H, A, -S-A, phenyl or -(CH₂)_p-Het.

9. (Currently Amended) A compound according to Claim 1 in which

R¹ denotes A, OH, NH₂, -(CH₂)_m-Ar,

m denotes 0,

Ar denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, A, OA, COOH or COOA,

R² if X = N — is absent or

if X = C — denotes CN,

R³ denotes H, A, -S-A, phenyl or -(CH₂)_p-Het,

R⁴ denotes -(CH₂)_s-(Ar¹)_n-Y-R⁶,

s denotes 0,

n denotes 0,

Y denotes (CH₂)_q,

q denotes 0,

R⁶ denotes -(CH₂)_r-NH₂, -(CH₂)_r-NHA or -(CH₂)_r-NA₂,

r denotes 1, 2, 3 or 4.

10. (Previously Presented) A compound according to Claim 1 in which

R⁴ denotes -(CH₂)_s-(Ar¹)_n-Y-R⁶,

s denotes 0,

n denotes 1,

- Y denotes $(CH_2)_q$,
q denotes 0,
 R^6 denotes $-(CH_2)_r-NH_2$, $-(CH_2)_r-NHA$ or $-(CH_2)_r-NA_2$,
r denotes 0.
11. (Previously Presented) A compound according to Claim 1 in which
 R^4 denotes $-(CH_2)_s-(Ar^1)_n-Y-R^6$,
s denotes 0,
n denotes 0 or 1,
Y denotes $(CH_2)_q$,
q denotes 0,
 R^6 denotes $-(CH_2)_r-NH_2$, $-(CH_2)_r-NHA$ or $-(CH_2)_r-NA_2$,
r denotes 0, 1, 2, 3 or 4.
12. (Previously Presented) A compound according to Claim 1 in which
 R^4 denotes $-(CH_2)_s-(Ar^1)_n-Y-R^6$,
s denotes 0,
n denotes 0 or 1,
Y denotes $(CH_2)_q$,
 R^6 denotes $-(CH_2)_r-NH_2$, $-(CH_2)_r-NHA$ or $-(CH_2)_r-NA_2$,
 Ar^1 denotes phenylene,
Y denotes O, $(CH_2)_q$ or NH,
q denotes 0, 1, 2, 3 or 4,
r denotes 0, 1, 2, 3 or 4.
13. (Currently Amended) A compound according to Claim 1 in which
 R^1 denotes A, OH, NH₂, $-(CH_2)_m-Ar$,
m denotes 0,
Ar denotes phenyl which is unsubstituted or mono-, di- or
trisubstituted by Hal, A, OA, COOH or COOA,
 R^2 if X = N — is absent or
if X = C — denotes CN,
 R^3 denotes H, A, -S-A, phenyl or $-(CH_2)_p-Het$,

R^4	denotes $-(CH_2)_s-(Ar^1)_n-Y-R^6$,
s	denotes 0,
n	denotes 0 or 1,
Y	denotes $(CH_2)_q$,
R^6	denotes $-(CH_2)_r-NH_2$, $-(CH_2)_r-NHA$ or $-(CH_2)_r-NA_2$,
Ar^1	denotes phenylene,
Y	denotes O, $(CH_2)_q$ or NH,
q	denotes 0, 1, 2, 3 or 4,
r	denotes 0, 1, 2, 3 or 4.

14. (Currently Amended) A compound according to Claim 1 in which

R^1	denotes A, OH, NH₂ , $-(CH_2)_m-Ar$,
m	denotes 0,
Ar	denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, A, OA, COOH or COOA,
R^2	if $X=N$ — is absent or if $X=C$ — denotes CN,
R^3	denotes H, A, -S-A, phenyl or $-(CH_2)_p-Het$,
R^4	denotes $-(CH_2)_s-(Ar^1)_n-Y-R^6$,
s	denotes 0,
n	denotes 1,
Ar^1	denotes phenylene,
R^6	denotes Het ⁴ ,
Y	denotes O,
Het ⁴	denotes pyridyl which is unsubstituted or monosubstituted by CONHA, or benzo-1,2,5-thiadiazol-5-yl.

15. (Previously Presented) A compound according to Claim 1 in which


R^4	denotes $-(CH_2)_s-(Ar^1)_n-Y-R^6$,
s	denotes 0 or 1,
n	denotes 0 or 1,
Y	denotes O or $(CH_2)_q$,

q	denotes 0,
R ⁶	denotes Het ⁴ ,
Het ⁴	denotes pyridyl, benzo-1,2,5-thiadiazol-5-yl, thiazole, 1,2,3-triazole, thienyl or furyl, each of which is unsubstituted or monosubstituted by CONHA, A and/or Ar ² ,
Ar ²	denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by A,
Ar ¹	denotes phenylene.

16. (Previously Presented) A compound according to Claim 1 in which

Het	denotes a monocyclic saturated or aromatic heterocycle having 1 to 3 N and/or O atoms, which may be unsubstituted or mono-, di- or trisubstituted by Hal, A, NHA, NA ₂ , COOA, benzyl, -(CH ₂) _t -OH or -(CH ₂) _p -Het ¹ ,
Het ¹	denotes an unsubstituted monocyclic saturated or aromatic heterocycle having 1 to 3 N and/or O atoms,


or



17. (Previously Presented) A compound according to Claim 1 in which

Het	denotes piperazinyl, piperidinyl, morpholinyl, pyrrolidinyl, pyridyl or furyl, which are unsubstituted or may be mono-, di- or trisubstituted by Hal, A, NHA, NA ₂ , COOA, benzyl, -(CH ₂) _t -OH or -(CH ₂) _p -Het ¹ ,
Het ¹	denotes morpholinyl, pyrrolidinyl, pyridyl

or



18. (Previously Presented) A compound according to Claim 1 in which

R⁴ denotes -(CH₂)_s-(Ar¹)_n-Y-R⁶,
s denotes 0 or 1,
n denotes 0 or 1,
Y denotes O, (CH₂)_q or NH,
Ar¹ denotes phenylene,
q denotes 0, 1, 2, 3 or 4,
R⁶ denotes Het⁴, -(CH₂)_r-NH₂, -(CH₂)_r-NHA or -(CH₂)_r-NA₂,
r denotes 0, 1, 2, 3 or 4,
Het⁴ denotes pyridyl, benzo-1,2,5-thiadiazol-5-yl, thiazole, 1,2,3-triazole, thienyl or furyl, each of which is unsubstituted or monosubstituted by CONHA, A or Ar²,
Ar² denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by A.


19. (Currently Amended) A compound according to Claim 1 in which

R¹ denotes A, OH, NH₂, -(CH₂)_m-Ar,
m denotes 0,
Ar denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, A, OA, COOH or COOA,
R² if X=N
is absent or
if X=C
denotes CN,
R³ denotes H, A, -S-A, phenyl or -(CH₂)_p-Het,
Het denotes a monocyclic saturated or aromatic heterocycle having 1 to 3 N and/or O atoms, which may be unsubstituted or mono-,

di- or trisubstituted by Hal, A, NHA, NA₂, COOA, benzyl, -(CH₂)_t-OH or -(CH₂)_p-Het¹,

Het¹ denotes an unsubstituted monocyclic saturated or aromatic heterocycle having 1 to 2 N and/or O atoms,

or



20. (Previously Presented) A compound according to Claim 1 in which

R⁴ denotes -(CH₂)_s-(Ar¹)_n-Y-R⁶,

s denotes 0, 1, 2, 3 or 4,

n denotes 0 or 1,

Y denotes O or (CH₂)_q,

Ar¹ denotes phenylene,

q denotes 0,

R⁶ denotes Het⁴, -(CH₂)_r-NH₂, -(CH₂)_r-NHA or -(CH₂)_r-NA₂,

r denotes 0, 1, 2, 3 or 4,

Het⁴ denotes a monocyclic saturated or aromatic heterocycle having 1 to 3 N, O and/or S atoms, which may be unsubstituted or mono-, di- or trisubstituted by A, CONH₂, CONHA, CONA₂ or Ar²,

Ar² denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by A.

21. (Previously Presented) A compound according to Claim 1 in which

Het⁴ denotes pyridyl, benzo-1,2,5-thiadiazol-5-yl, piperazine, thiazole or imidazole, each of which is unsubstituted or monosubstituted by CONHA, A or Ar².


22. (Previously Presented) A compound according to Claim 1 in which

R⁴ denotes 4-(pyridin-4-yloxy)phenyl, 4-(pyridin-4-yloxy)-

phenylmethyl or 4-(benzo-1,2,5-thiadiazol-5-yloxy)phenyl,
where the pyridine radical may be substituted by CONHCH₃.


23. (Previously Presented) A compound according to Claim 1 in which
Het¹ denotes an unsubstituted monocyclic saturated or aromatic
heterocycle having 1 to 2 N and/or O atoms,

or



24. (Previously Presented) A compound according to Claim 1 in which
Het¹ denotes morpholinyl, pyrrolidinyl, piperidinyl, pyridyl

or



25. (Previously Presented) A compound according to Claim 1 in which
Het² denotes an unsubstituted monocyclic aromatic heterocycle
having 1-2 N, O and/or S atoms.

26. (Currently Amended) A compound according to Claim 1 in which
R¹ denotes A, OH, NH₂, -(CH₂)_m-Ar or -(CH₂)_m-Het²,
m denotes 0,
Ar denotes phenyl which is unsubstituted or mono-, di- or
trisubstituted by Hal, A, OA, COOH or COOA,

R² if X = N _____

is absent or

if X = C

denotes H, CN, COOA or phenyl,

R³ denotes H, A, -S-A, phenyl, NH-benzyl, -(CH₂)_p-Het,

NH-(CH₂)_p-Het, NA₂, NH-alkylene-NA₂ or
NA-alkylene-NA₂.

27. (Currently Amended) A compound according to Claim 1 in which

R² if X = N

is absent or

if X = C

denotes H, CN, (CH₂)_oAr'', (CH₂)_oCOOA or SO₂A,

Ar'' denotes phenyl which is unsubstituted or mono-, di- or
trisubstituted by Hal or OA,

o denotes 0 or 1.

28. (Currently Amended) A compound according to Claim 1 in which

R¹ denotes A, OH, NH₂, -(CH₂)_m-Ar' or -(CH₂)_m-Het²,

Ar' denotes phenyl which is unsubstituted or mono-, di- or
trisubstituted by Hal, OA, A or COOA,

m denotes 0,

Het² denotes thienyl, furyl, imidazolyl, pyrrolyl, thiazolyl or pyridyl,

29. (Currently Amended) A compound according to Claim 1 in which

X denotes C or N,

B denotes N, CH or C-CN,

R¹ denotes A, OH, NH₂, -(CH₂)_m-Ar' or -(CH₂)_m-Het²,

Ar' denotes phenyl which is unsubstituted or mono-, di- or
trisubstituted by Hal, OA, A or COOA,

m denotes 0,

Het² denotes thienyl, furyl, imidazolyl, pyrrolyl, thiazolyl or pyridyl,

R² if X = N

is absent or

if X = C

denotes H, CN, (CH₂)_oAr'', (CH₂)_oCOOA or SO₂A,

Ar'' denotes phenyl which is unsubstituted or mono-, di- or
trisubstituted by Hal or OA,

\circ	denotes 0 or 1,
R^3	denotes H, A, -S-A, phenyl, NH-benzyl, $-(CH_2)_p$ -Het, NH- $(CH_2)_p$ -Het, NA ₂ , NH-alkylene-NA ₂ or NA-alkylene-NA ₂ ,
Het	denotes piperazinyl, piperidinyl, morpholinyl, pyrrolidinyl, pyridyl or furyl, which are unsubstituted or may be mono-, di- or trisubstituted by Hal, A, NHA, NA ₂ , COOA, benzyl, $-(CH_2)_r$ - OH or $-(CH_2)_p$ -Het ¹ ,
Het ¹	denotes morpholinyl, pyrrolidinyl, pyridyl
	or
	<p>The diagram shows two chemical structures side-by-side. On the left is morpholinyl, consisting of a four-membered four-membered ring fused to a six-membered benzene ring. The nitrogen atom is bonded to two methyl groups and one hydrogen atom. On the right is pyrrolidinyl, consisting of a five-membered five-membered ring with a double bond between the second and third carbons.</p>
R^4	denotes $-(CH_2)_s$ - $(Ar^1)_n$ -Y-R ⁶ ,
Y	denotes O or $(CH_2)_q$,
R^5	denotes H or CH ₃ , or
R^4 and R^5	together denote Het ⁴ -N(CH ₂ -CH ₂) _n -CH ₂ -CH ₂ -,
R^6	denotes Het ⁴ , $-(CH_2)_r$ -NH ₂ , $-(CH_2)_r$ -NHA or $-(CH_2)_r$ -NA ₂ ,
Het ⁴	denotes pyridyl, benzo-1,2,5-thiadiazol-5-yl, piperazine, thiazole or imidazole, each of which is unsubstituted or monosubstituted by CONHA, A and/or Ar ² ,
Ar ¹	denotes phenylene or piperazinediyl,
Ar ²	denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by A,
R^7 , R^8 , R^9 , R^{10}	each, independently of one another, denote H, A or $-(CH_2)_p$ -Ar,
A	denotes alkyl having 1 to 10 C atoms, where, in addition, 1-7 H atoms may be replaced by F and/or chlorine,
n	denotes 0 or 1,
p	denotes 0, 1, 2, 3 or 4,
q	denotes 0, 1, 2, 3 or 4,


r denotes 0, 1, 2, 3 or 4,
s denotes 0, 1, 2, 3 or 4,
t denotes 1, 2, 3 or 4,
Hal denotes F, Cl, Br or I,

and, if $X=C$,

R^1 and R^2 together may also denote $-(CH_2)_4-$ or
 R^2 and R^3 together may also denote $-(CHR^7-NR^8-CHR^9-CHR^{10})-$,
and, if Ar^1 denotes piperazinediyl, R^6 may also denote H or alkyl having 1-6 C atoms.

30. (Currently Amended) A compound according to Claim 1 in which

X denotes C or N,
 B denotes N, CH or C-CN,
 R^1 denotes A, OH, NH₂, $-(CH_2)_m-Ar'$ or $-(CH_2)_m-Het^2$,
 Ar' denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, OA, A or COOA,
 m denotes 0,
 Het^2 denotes an unsubstituted monocyclic aromatic heterocycle having 1-2 N, O and/or S atoms,
 R^2 if $X=N$
is absent or
if $X=C$
denotes H, CN, $(CH_2)_n-Ar''$, $(CH_2)_n-COOA$ or SO_2A ,
 Ar'' denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal or OA,
 o denotes 0 or 1,
 R^3 denotes H, A, -S-A, phenyl, NH-benzyl, $-(CH_2)_p-Het$, NH- $(CH_2)_p-Het$, NA₂, NH-alkylene-NA₂ or NA-alkylene-NA₂,
 Het denotes a monocyclic saturated or aromatic heterocycle having 1 to 3 N and/or O atoms, which may be unsubstituted or mono-, di- or trisubstituted by Hal, A, NHA, NA₂, COOA, benzyl, -

	$(CH_2)_r-OH$ or $-(CH_2)_p-Het^1$,
Het ¹	denotes morpholinyl, pyrrolidinyl, pyridyl
	or
	
R ⁴	denotes $-(CH_2)_s-(Ar^1)_n-Y-R^6$,
Y	denotes O or $(CH_2)_q$,
R ⁵	denotes H or CH ₃ , or
R ⁴ and R ⁵	together denote Het ⁴ —N(CH ₂ CH ₂) _s —CH ₂ CH ₂ —,
R ⁶	denotes Het ⁴ , $-(CH_2)_r-NH_2$, $-(CH_2)_r-NHA$ or $-(CH_2)_r-NA_2$,
Het ⁴	denotes a monocyclic saturated or aromatic heterocycle having 1 to 3 N, O and/or S atoms, which may be unsubstituted or mono-, di- or trisubstituted by A, CONH ₂ , CONHA, CONA ₂ or Ar ² ,
Ar ¹	denotes phenylene or piperazinediyl,
Ar ²	denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by A,
R ⁷ , R ⁸ , R ⁹ , R ¹⁰	each, independently of one another, denote H, A or $-(CH_2)_p-Ar$,
A	denotes alkyl having 1 to 10 C atoms, where, in addition, 1-7 H atoms may be replaced by F and/or chlorine,
n	denotes 0 or 1,
p	denotes 0, 1, 2, 3 or 4,
q	denotes 0, 1, 2, 3 or 4,
r	denotes 0, 1, 2, 3 or 4,
s	denotes 0, 1, 2, 3 or 4,
t	denotes 1, 2, 3 or 4,
Hal	denotes F, Cl, Br or I,

and, if X = C,


~~R¹ and R² together may also denote -(CH₂)₄- or
R² and R³ together may also denote -(CHR⁷-NR⁸-CHR⁹-CHR¹⁰)-,~~
and, if Ar¹ denotes piperazinediyl, R⁶ may also denote H or alkyl having 1-6 C atoms.


31. (Cancelled)

32. (Cancelled)

33. (Currently Amended) A compound, which is

~~(7-phenyl-5-trifluoromethyl-1,2,4-triazolo[1,5-a]pyrimidin-2-yl)-[4-(pyridin-4-yloxy)phenyl]amine,~~





~~(7-methyl-5-trifluoromethyl-1,2,4-triazolo[1,5-a]pyrimidin-2-yl)-[3-(2-(N-methylaminocarbonyl)pyridin-4-yloxy)phenyl]amine,~~

~~(7-phenyl-5-trifluoromethyl-1,2,4-triazolo[1,5-a]pyrimidin-2-yl)-[3-(2-(N-methylaminocarbonyl)pyridin-4-yloxy)phenyl]amine,~~

~~(7-methyl-1,2,4-triazolo[1,5-a]pyrimidin-2-yl)-[3-(2-(N-methylaminocarbonyl)pyridin-4-yloxy)phenyl]amine,~~

~~(7-phenyl-5-trifluoromethyl-1,2,4-triazolo[1,5-a]pyrimidin-2-yl)-[4-(2-(N-methylaminocarbonyl)pyridin-4-yloxy)phenyl]amine,~~

~~(5,7-bistrifluoromethyl-1,2,4-triazolo[1,5-a]pyrimidin-2-yl)-[4-(2-(N-methylaminocarbonyl)pyridin-4-yloxy)phenyl]amine,~~

~~(5,7-dimethyl-1,2,4-triazolo[1,5-a]pyrimidin-2-yl)-[4-(benzo-1,2,5-thiadiazol-5-yloxy)phenyl]amine,~~


~~(7-methyl-5-trifluoromethyl-1,2,4-triazolo[1,5-a]pyrimidin-2-yl)-[4-(benzo-1,2,5-thiadiazol-5-yloxy)phenyl]amine,~~


~~(7-phenyl-5-trifluoromethyl-1,2,4-triazolo[1,5-a]pyrimidin-2-yl)-[4-(benzo-1,2,5-thiadiazol-5-yloxy)phenyl]amine,~~

~~(2-phenylthiazol-4-ylmethyl)-(7-phenyl-5-trifluoromethyl-1,2,4-triazolo[1,5-a]pyrimidin-2-yl)amine,~~


~~(2-phenylthiazol-4-ylmethyl)-(7-methyl-5-trifluoromethyl-1,2,4-triazolo[1,5-a]pyrimidin-2-yl)amine,~~


(7-phenyl-5-trifluoromethyl-1,2,4-triazolo[1,5-a]pyrimidin-2-yl)-[4-(pyridin-4-yloxy)benzyl]amine,
(3-dimethylaminopropyl)-(7-methyl-5-trifluoromethyl-1,2,4-triazolo[1,5-a]pyrimidin-2-yl)amine,
7-phenyl-2-[4-(pyridin-4-yloxy)phenylamino]-5-trifluoromethyl-pyrazolo[1,5-a]pyrimidine-3-carbonitrile,
7-methyl-2-[4-(pyridin-4-yloxy)phenylamino]-5-trifluoromethyl-pyrazolo[1,5-a]pyrimidine-3-carbonitrile,
5,7-dimethyl-2-[4-(pyridin-4-yloxy)phenylamino]pyrazolo[1,5-a]pyrimidine-3-carbonitrile,
7-phenyl-2-[4-(pyridin-4-yloxy)phenylmethylamino]-5-trifluoromethyl-pyrazolo[1,5-a]pyrimidine-3-carbonitrile,








6-benzyl-2-[3-(4-methylpiperazin-1-yl)propylamino]-5,6,7,8-tetrahydro-
1,3,3a,6,9-pentaazaeyclopenta[b]naphthalen-4-ol;












































,




,




,





,





,






















or a pharmaceutically acceptable solvate, tautomer, salt or stereoisomer thereof.

34. (Currently Amended) A process for preparing a compound according to Claim 1 or a pharmaceutically acceptable solvate, tautomer, salt or stereoisomer thereof, comprising
- for the preparation of compounds of the formula I
in which X denotes C,
reacting a compound of formula II



in which R^4 , R^5 and B have the meanings indicated for the compound of formula I,

i) with a compound of formula IIIa




,

in which R^1 , O_A and R^2 and R^3 have the meanings indicated for the compound of formula I,

or

ii) with a compound of formula IIIb




,

in which R^1 , R^2 and R^3 have the meanings indicated for the compound of formula I,

and A denotes alkyl having 1, 2, 3 or 4 C atoms,

or

iii) with a compound of formula IIIc




in which

R^1 , besides the meanings indicated for the compound of formula I, also denotes OA,

R^2 and R^3 have the meanings indicated for the compound of formula I,
and A, A' each, independently of one another, denote alkyl having 1, 2, 3 or 4
C atoms,
or A and A' together form a butylene or pentylene chain,

or

b) — for the preparation of compounds of the formula I
~~in which X denotes N and R^1 denotes NH_2 ;~~
~~reacting a compound of formula II with a compound of formula IIId~~



~~in which R^3 has the meaning indicated for the compound of formula I,
and A denotes alkyl having 1, 2, 3 or 4 C atoms,~~


or

e) — for the preparation of compounds of the formula I in which
~~X denotes N;~~

R^1 denotes H, A, $(CH_2)_m$ -Ar or $(CH_2)_m$ -Het²,

R^3 denotes S-A

reacting a compound of formula II with a compound of formula IIIe



in which

R^1 denotes H, A, $(CH_2)_m$ -Ar or $(CH_2)_m$ -Het²

and A denotes alkyl having 1, 2, 3 or 4 C atoms;

and/or one or more radical(s) R^1 , R^2 and/or R^3 in a compound of formula I is (are) converted into one or more other radical(s) R^1 , R^2 and/or R^3 ,

and/or

a base or acid of a compound of formula I is converted into one of its salts.

35. (Previously Presented) A pharmaceutical composition comprising a compound according to claim 1 and a pharmaceutically acceptable carrier.

36-57. (Cancelled)

58. (Previously Presented) A process according to claim 34, wherein one or more radical(s) R^1 , R^2 and/or R^3 in a compound of formula I is (are) converted into one or more other radical(s) R^1 , R^2 and/or R^3 , by
- i) converting an alkylsulfanyl group into an amine,
 - ii) hydrolysing an ester to the acid, reducing it to the aldehyde or alcohol, or
 - iii) reducing a nitrile to the aldehyde or amine.

59. (Previously Presented) A pharmaceutical composition comprising a compound according to claim 33 and a pharmaceutically acceptable carrier.

60. (Currently Amended) A compound of formula I according to claim 1,

in which

X denotes C or N,

B denotes N, CH or C-CN,

R¹ denotes H, A, OH, NH₂, -(CH₂)_m-Ar or -(CH₂)_m-Het²,

R² if X=N

is absent or

if X=C

denotes H, A, Hal, CN, -(CH₂)_p-Ar,

-(CH₂)_p-COOH, -(CH₂)_p-COOA, -(CH₂)_p-Het³,

-(CH₂)_p-NH₂, SO₂A, CHO or COA,

R³ denotes H, A, -S-A, -(CH₂)_p-Ar, -(CH₂)_p-Het, NH-(CH₂)_p-Ar, NH-(CH₂)_p-Het, NH₂, NHA, NA₂, NH-alkylene-NH₂,

NH-alkylene-NHA, NH-alkylene-NA₂ or NA-alkylene-NA₂,

R⁴ denotes -(CH₂)_s-(Ar¹)_n-Y-R⁶,

R⁵ denotes H or CH₃, or

R⁴ and R⁵ together denote Het⁴-N(CH₂-CH₂-CH₂-CH₂-),

R⁶ denotes Het⁴, -(CH₂)_r-NH₂, -(CH₂)_r-NHA or -(CH₂)_r-NA₂,

Y denotes O, S, (CH₂)_q or NH,

Ar denotes phenyl, naphthyl or biphenyl, each of which is unsubstituted or mono-, di- or trisubstituted by Hal, A, OH, OA, NH₂, NO₂, CN, COOH, COOA, CONH₂, NHCOA, NHCONH₂, NHSO₂A, CHO, COA, SO₂NH₂, SO₂A, -CH₂-COOH or -OCH₂-COOH,

Ar¹ denotes phenylene or piperazinediyl,

Het denotes a mono- or bicyclic saturated, unsaturated or aromatic heterocycle having 1 to 4 N, O and/or S atoms, which may be unsubstituted or mono-, di- or trisubstituted by Hal, A, NHA,

NA₂, OA, COOA, CN, -(CH₂)_p-Ar, -(CH₂)_r-OH, -(CH₂)_p-Het¹ or carbonyl oxygen (=O),

Het¹ denotes a mono- or bicyclic saturated, unsaturated or aromatic heterocycle having 1 to 4 N, O and/or S atoms, which may be unsubstituted or mono- or disubstituted by A or carbonyl oxygen (=O),

Het² denotes a monocyclic aromatic heterocycle having 1 to 3 N, O and/or S atoms, which may be unsubstituted or mono- or disubstituted by A,

Het³ denotes a monocyclic saturated or aromatic heterocycle having 1 to 3 N, O and/or S atoms, which may be unsubstituted or mono- or disubstituted by A,

Het⁴ denotes a mono- or bicyclic saturated, unsaturated or aromatic heterocycle having 1 to 4 N, O and/or S atoms, which may be unsubstituted or mono-, di- or trisubstituted by Hal, A, CONH₂, CONHA, CONA₂ or Ar²,

Ar² denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, A, OH, OA, NH₂, NO₂, CN, COOH, COOA, CONH₂, NHCOA, NHCONH₂, NSO₂A, CHO, COA, SO₂NH₂ or SO₂A,

R⁷, R⁸, R⁹, R¹⁰ each, independently of one another, denote H, A or -(CH₂)_p-Ar,

A denotes alkyl having 1 to 10 C atoms, where, in addition, 1-7 H atoms may be replaced by F and/or chlorine,

m denotes 0, 1, 2, 3 or 4,

n denotes 0 or 1,

p denotes 0, 1, 2, 3 or 4,

q denotes 0, 1, 2, 3 or 4,

r denotes 0, 1, 2, 3 or 4,

s denotes 0, 1, 2, 3 or 4,

Hal denotes F, Cl, Br or I,

and, if X=C,

~~R¹ and R² together may also denote -(CH₂)₄- or~~


R^2 and R^3 together may also denote $(CHR^7-CHR^8-NR^9-CHR^{10})$,
and, if Ar^1 denotes piperazinediyI,


R^6 may also denote H or alkyl having 1-6 C atoms,
or a pharmaceutically acceptable salt thereof.

61. (Previously Presented) A pharmaceutical composition comprising a compound according to claim 60 and a pharmaceutically acceptable carrier.

62. (Currently Amended) A compound according to claim 33, which is

~~(7-phenyl-5-trifluoromethyl-1,2,4-triazolo[1,5-a]pyrimidin-2-yl)-[4-(pyridin-4-yloxy)phenyl]amine,~~





~~(7-methyl-5-trifluoromethyl-1,2,4-triazolo[1,5-a]pyrimidin-2-yl)-[3-(2-(N-methylaminocarbonyl)pyridin-4-yloxy)phenyl]amine;~~

~~(7-phenyl-5-trifluoromethyl-1,2,4-triazolo[1,5-a]pyrimidin-2-yl)-[3-(2-(N-methylaminocarbonyl)pyridin-4-yloxy)phenyl]amine;~~

~~(7-methyl-1,2,4-triazolo[1,5-a]pyrimidin-2-yl)-[3-(2-(N-methylaminocarbonyl)pyridin-4-yloxy)phenyl]amine;~~

~~(7-phenyl-5-trifluoromethyl-1,2,4-triazolo[1,5-a]pyrimidin-2-yl)-[4-(2-(N-methylaminocarbonyl)pyridin-4-yloxy)phenyl]amine;~~

~~(5,7-bistrifluoromethyl-1,2,4-triazolo[1,5-a]pyrimidin-2-yl)-[4-(2-(N-methylaminocarbonyl)pyridin-4-yloxy)phenyl]amine;~~

~~(5,7-dimethyl-1,2,4-triazolo[1,5-a]pyrimidin-2-yl)-[4-(benzo-1,2,5-thiadiazol-5-yloxy)phenyl]amine;~~


~~(7-methyl-5-trifluoromethyl-1,2,4-triazolo[1,5-a]pyrimidin-2-yl)-[4-(benzo-1,2,5-thiadiazol-5-yloxy)phenyl]amine;~~


~~(7-phenyl-5-trifluoromethyl-1,2,4-triazolo[1,5-a]pyrimidin-2-yl)-[4-(benzo-1,2,5-thiadiazol-5-yloxy)phenyl]amine;~~

~~(2-phenylthiazol-4-ylmethyl)-(7-phenyl-5-trifluoromethyl-1,2,4-triazolo[1,5-a]pyrimidin-2-yl)amine;~~


~~(2-phenylthiazol-4-ylmethyl)-(7-methyl-5-trifluoromethyl-1,2,4-triazolo[1,5-a]pyrimidin-2-yl)amine,~~


(7-phenyl-5-trifluoromethyl-1,2,4-triazolo[1,5-a]pyrimidin-2-yl)-[4-(pyridin-4-yloxy)benzyl]amine,
(3-dimethylaminopropyl)-(7-methyl-5-trifluoromethyl-1,2,4-triazolo[1,5-a]pyrimidin-2-yl)amine,
7-phenyl-2-[4-(pyridin-4-yloxy)phenylamino]-5-trifluoromethyl-pyrazolo[1,5-a]pyrimidine-3-carbonitrile,
7-methyl-2-[4-(pyridin-4-yloxy)phenylamino]-5-trifluoromethyl-pyrazolo[1,5-a]pyrimidine-3-carbonitrile,
5,7-dimethyl-2-[4-(pyridin-4-yloxy)phenylamino]pyrazolo[1,5-a]pyrimidine-3-carbonitrile,
7-phenyl-2-[4-(pyridin-4-yloxy)phenylmethylamino]-5-trifluoromethyl-pyrazolo[1,5-a]pyrimidine-3-carbonitrile,








6-benzyl-2-[3-(4-methylpiperazin-1-yl)propylamine]-5,6,7,8-tetrahydro-
1,3,3a,6,9-pentaazacyclo[3.3.1]octa[2]naphthalen-4-ol,















































































or a pharmaceutically acceptable salt thereof.

63. (Currently Amended) A pharmaceutical composition comprising a compound according to claim 62 ~~64~~ and a pharmaceutically acceptable carrier.
64. (Currently Amended) A pharmaceutical composition comprising a compound according to claim 2 and a pharmaceutically acceptable carrier compound according to claim 1 in which X denotes C.
65. (Cancelled)
66. (Currently Amended) A pharmaceutical composition comprising a compound according to claim 29 and a pharmaceutically acceptable carrier compound according to claim 60 in which X denotes C.
67. (Cancelled)

68. (Currently Amended) A pharmaceutical composition comprising a compound according to claim 30 66 and a pharmaceutically acceptable carrier.
69. (Cancelled)
70. (New) A compound according to Claim 1, in which R¹ denotes A.
71. (New) A compound according to Claim 1, in which R¹ denotes -(CH₂)_m-Ar.
72. (New) A compound according to Claim 1, in which R¹ denotes -(CH₂)_m-Het².
73. (New) A compound according to Claim 1, in which B denotes N.
74. (New) A compound according to Claim 1, in which B denotes C-CN.